












522 Kabel, Drhte und Stromschienen (E)

522.001

© EIT.swiss 01.20










Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteintrge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 FE0D Dca 7x1,5	FE0D-Kabel Dca 7x1,5	52	522 211 163		8,75	0,066	13,80	0,086			
		53	522 211 164		14,55	0,122	23,40	0,158			
 FE0D Dca 8x1,5	FE0D-Kabel Dca 8x1,5	52	522 211 173		9,55	0,066	14,75	0,086			
		53	522 211 174		15,35	0,122	24,40	0,158			
 FE0D Dca 12x1,5	FE0D-Kabel Dca 12x1,5	52	522 211 213		10,35	0,066	15,70	0,086			
		53	522 211 214		16,15	0,122	25,35	0,158			
 FE0D Dca 16x1,5	FE0D-Kabel Dca 16x1,5	52	522 211 223		11,95	0,066	17,60	0,086			
		53	522 211 224		17,80	0,122	27,25	0,158			
 FE0D Dca 21x1,5	FE0D-Kabel Dca 21x1,5	52	522 211 233		13,45	0,066	19,40	0,086			
		53	522 211 234		19,30	0,122	29,05	0,158			
 FE0D Dca 27x1,5	FE0D-Kabel Dca 27x1,5	52	522 211 243		17,10	0,090	24,75	0,116			
		53	522 211 244		24,45	0,161	36,95	0,207			
 FE0D Dca 7x4	FE0D-Kabel Dca 7x4	52	522 211 553		11,00	0,066	16,50	0,086			
		53	522 211 554		16,85	0,122	26,15	0,158			
 FE0D Dca 7x6	FE0D-Kabel Dca 7x6	52	522 211 653		13,45	0,066	19,40	0,086			
		53	522 211 654		19,30	0,122	29,05	0,158			
 FE0D Dca 4x50	FE0D-Kabel Dca 4x50	52	522 212 533		41,00	0,090	53,25	0,116			
		53	522 212 534		48,45	0,161	65,50	0,207			



522 Kabel, Drähte und Stromschienen (E)

522.002

© EIT.swiss 01.20











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 4x70	FE0D-Kabel Dca 4x70	52	522 212 623		56,80	0,118	73,40	0,152			
		53	522 212 624		65,75	0,204	88,35	0,263			
 4x95	FE0D-Kabel Dca 4x95	52	522 212 723		69,10	0,137	89,05	0,177			
		53	522 212 724		78,30	0,225	104,25	0,290			
 5x95	FE0D-Kabel Dca 5x95	52	522 212 733		77,70	0,163	100,50	0,210			
		53	522 212 734		87,70	0,259	117,15	0,334			
 1x120	FE0D-Kabel Dca 1x120	52	522 214 113		24,05	0,090	33,05	0,116			
		53	522 214 114		38,15	0,187	54,60	0,241			
 1x150	FE0D-Kabel Dca 1x150	52	522 214 213		27,40	0,090	37,05	0,116			
		53	522 214 214		41,60	0,187	58,65	0,241			
 1x185	FE0D-Kabel Dca 1x185	52	522 214 313		31,35	0,090	41,70	0,116			
		53	522 214 314		45,60	0,187	63,45	0,241			
 1x240	FE0D-Kabel Dca 1x240	52	522 214 413		38,50	0,090	50,25	0,116			
		53	522 214 414		52,75	0,187	72,00	0,241			
 4x1,5	FE180/E30-Kabel 4x1,5	12	522 261 132		38,10	0,297	61,15	0,392	109 210 422	3,90	4,65
		52	522 261 133		10,70	0,066	16,15	0,086			
		53	522 261 134		16,50	0,122	25,70	0,158			
 7x1,5	FE180/E30-Kabel 7x1,5	12	522 261 142		41,40	0,297	65,10	0,392	109 210 732	7,15	8,50
		52	522 261 143		13,95	0,066	20,00	0,086			
		53	522 261 144		19,70	0,122	29,55	0,158			



522 Kabel, Drhte und Stromschienen (E)

522.003

© EIT.swiss 01.20











Allgemeine Informationen					Unternehmer-Informationen (unverbindliche Richtwerte)						
		IC	NPK	Produkteintrge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	FE180/E30-Kabel 3x4	12	522 261 312	11	40,70	0,297	64,25	0,392	109 230 322	6,50	7,75
		52	522 261 313	11	13,30	0,066	19,20	0,086			
		53	522 261 314	11	19,20	0,122	28,95	0,158			
	FE180/E30-Kabel 7x4	12	522 261 332	11	44,85	0,297	69,15	0,392			
		52	522 261 333	11	17,35	0,066	24,05	0,086			
		53	522 261 334	11	23,25	0,122	33,80	0,158			
	FE180/E30-Kabel 3x6	12	522 261 412	11	42,95	0,297	66,95	0,392	109 240 322	8,70	10,35
		52	522 261 413	11	15,50	0,066	21,85	0,086			
		53	522 261 414	11	21,40	0,122	31,60	0,158			
	FE180/E30-Kabel 7x6	12	522 261 432	11	47,70	0,312	73,25	0,411			
		52	522 261 433	11	21,10	0,090	29,55	0,116			
		53	522 261 434	11	28,55	0,161	41,80	0,207			
	FE180/E90-Kabel 4x1,5	12	522 263 132		40,75	0,297	64,30	0,392	109 211 436	6,55	7,80
		52	522 263 133		13,35	0,066	19,25	0,086			
		53	522 263 134		19,10	0,122	28,85	0,158			
	FE180/E90-Kabel 7x1,5	12	522 263 142		44,90	0,297	69,20	0,392	109 211 736	10,60	12,65
		52	522 263 143		17,45	0,066	24,10	0,086			
		53	522 263 144		23,20	0,122	33,70	0,158			
	FE180/E90-Kabel 3x4	12	522 263 312	11	43,55	0,297	67,65	0,392	109 231 326	9,35	11,15
		52	522 263 313	11	16,15	0,066	22,60	0,086			
		53	522 263 314	11	22,05	0,122	32,35	0,158			
	FE180/E90-Kabel 7x4	12	522 263 332	11	46,95	0,297	71,70	0,392			
		52	522 263 333	11	19,50	0,066	26,60	0,086			
		53	522 263 334	11	25,40	0,122	36,35	0,158			
	FE180/E90-Kabel 3x6	12	522 263 412	11	46,25	0,297	70,85	0,392	109 241 326	12,00	14,30
		52	522 263 413	11	18,85	0,066	25,80	0,086			
		53	522 263 414	11	24,75	0,122	35,50	0,158			
	FE180/E90-Kabel 7x6	12	522 263 432	11	53,55	0,312	80,20	0,411			
		52	522 263 433	11	26,95	0,090	36,50	0,116			
		53	522 263 434	11	34,35	0,161	48,75	0,207			













522 Kabel, Drhte und Stromschienen (E)

522.004

© EIT.swiss 01.20

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteintrge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 FE180 E60 4x1,5	FE180/E60-Kabel 4x1,5	12	522 265 132		38,70	0,297	61,90	0,392	109 211 434	4,50	5,40
		52	522 265 133		11,30	0,066	16,85	0,086			
		53	522 265 134		17,10	0,122	26,40	0,158			
 FE180 E60 7x1,5	FE180/E60-Kabel 7x1,5	12	522 265 142		41,55	0,297	65,30	0,392	109 211 734	7,30	8,70
		52	522 265 143		14,10	0,066	20,20	0,086			
		53	522 265 144		19,90	0,122	29,75	0,158			
 FE180 E60 3x4	FE180/E60-Kabel 3x4	12	522 265 312	11	41,10	0,297	64,75	0,392	109 231 324	6,90	8,25
		52	522 265 313	11	13,70	0,066	19,70	0,086			
		53	522 265 314	11	19,55	0,122	29,35	0,158			
 FE180 E60 7x4	FE180/E60-Kabel 7x4	12	522 265 332	11	44,85	0,297	69,15	0,392			
		52	522 265 333	11	17,35	0,066	24,05	0,086			
		53	522 265 334	11	23,15	0,122	33,70	0,158			
 FE180 E60 3x6	FE180/E60-Kabel 3x6	12	522 265 412	11	43,80	0,297	67,90	0,392	109 241 324	9,55	11,35
		52	522 265 413	11	16,35	0,066	22,80	0,086			
		53	522 265 414	11	22,15	0,122	32,45	0,158			
 FE180 E60 7x6	FE180/E60-Kabel 7x6	12	522 265 432	11	47,70	0,312	73,25	0,411			
		52	522 265 433	11	21,10	0,090	29,50	0,116			
		53	522 265 434	11	28,45	0,161	41,70	0,207			
 PVC 8x1,5	PVC-Kabel 8x1,5	52	522 311 173		11,60	0,066	17,20	0,086	106 010 823	4,80	5,70
		53	522 311 174		17,40	0,122	26,80	0,158			
 PVC 12x1,5	PVC-Kabel 12x1,5	52	522 311 213		13,95	0,066	20,00	0,086	106 011 223	7,15	8,55
		53	522 311 214		19,80	0,122	29,65	0,158			
 AS -21x2,5	AS PVC/FE0/FE05-Kabel -21x2,5	72	522 381 161		179,25	1,560	291,25	2,024			
		73	522 381 162		441,15	4,040	763,60	5,514			
		71	522 381 163		75,75	0,734	126,15	0,946			
 AS -27x2,5	AS PVC/FE0/FE05-Kabel -27x2,5	72	522 381 171		248,70	1,942	392,60	2,516			
		73	522 381 172		593,20	5,206	1'012,55	7,098			
		71	522 381 173		94,70	0,918	157,55	1,182			













Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteintrge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	AS PVC/FE0/FE05-Kabel -1x120	72	522 381 611		85,45	0,648	134,80	0,848			
		73	522 381 612		158,00	1,142	249,30	1,514			
	AS PVC/FE0/FE05-Kabel -5x120	72	522 381 631		218,65	1,982	358,65	2,564			
		73	522 381 632		442,40	3,100	700,50	4,160			
	AS PVC/FE0/FE05-Kabel 1x150	72	522 381 711		115,60	0,648	170,75	0,848			
		73	522 381 712		188,80	1,142	286,00	1,514			
	AS PVC/FE0/FE05-Kabel 1x240	72	522 385 111		127,95	0,768	191,25	1,002			
		73	522 385 112		234,45	1,378	351,90	1,818			
	AS PVC/FE0/FE05-Kabel 1x185	72	522 385 211		127,95	0,768	191,25	1,002			
		73	522 385 212		222,05	1,378	337,10	1,818			
	AS FE180/E30/60-Kabel -3x6	71	522 386 211		24,95	0,240	41,55	0,310			
		72	522 386 212		77,00	0,626	123,75	0,820			
		73	522 386 213		129,90	1,126	216,75	1,506			
	AS FE180/E30/60-Kabel -7x6	71	522 386 231		30,70	0,296	51,10	0,382			
		72	522 386 232		99,45	0,784	158,25	1,024			
		73	522 386 233		199,95	1,728	336,80	2,336			
	AS FE180/E90-Kabel -3x6	71	522 387 211		24,95	0,240	41,55	0,310			
		72	522 387 212		77,00	0,626	123,75	0,820			
		73	522 387 213		129,90	1,126	216,75	1,506			
	AS FE180/E90-Kabel -7x6	71	522 387 231		30,70	0,296	51,10	0,382			
		72	522 387 232		99,45	0,784	158,25	1,024			
		73	522 387 233		199,95	1,728	336,80	2,336			
	GKN-Kabel hf 3x6/6	52	522 411 114		18,65	0,090	26,60	0,116	106 740 411	9,35	11,15
		53	522 411 115		26,00	0,161	38,75	0,207			



522 Kabel, Drähte und Stromschienen (E)

522.006

© EIT.swiss 01.20











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	GKN-Kabel hf 3x10/10	52	522 411 124		21,90	0,090	30,50	0,116	106 750 411	12,65	15,05
		53	522 411 125		29,25	0,161	42,70	0,207			
	GKN-Kabel hf 3x16/16	52	522 411 134		28,00	0,090	37,75	0,116	106 760 411	18,70	22,30
		53	522 411 135		35,50	0,161	50,10	0,207			
	GKN-Kabel hf 3x25/25	52	522 411 144		38,20	0,090	49,90	0,116	106 762 411	28,90	34,40
		53	522 411 145		45,65	0,161	62,15	0,207			
	GKN-Kabel hf 3x50/50	52	522 411 164		63,80	0,118	81,75	0,152	106 770 411	51,65	61,50
		53	522 411 165		72,80	0,204	96,75	0,263			
	GKN-Kabel hf 3x95/95	52	522 411 174		106,50	0,137	133,60	0,177	106 778 411	92,35	110,00
		53	522 411 175		115,70	0,225	148,85	0,290			
	GKN-Kabel hf 3x150/150	52	522 411 224		163,15	0,208	204,50	0,268	106 784 411	141,70	168,80
		53	522 411 225		173,70	0,309	222,00	0,398			
	GKN-Kabel hf 3x185/185	52	522 411 234		214,10	0,208	265,20	0,268			
		53	522 411 235		224,65	0,309	282,70	0,398			
	GKN-Kabel hf 3x240/240	52	522 411 244		271,30	0,287	337,20	0,370	106 790 411	241,70	287,90
		53	522 411 245		283,35	0,403	357,35	0,520			
	GKN-Kabel hf 1x95/35	52	522 411 414		43,80	0,090	56,55	0,116	106 778 101	34,50	41,05
		53	522 411 415		58,05	0,187	78,30	0,241			
	GKN-Kabel hf 1x150/50	52	522 411 424		57,65	0,118	74,45	0,152			
		53	522 411 425		73,50	0,230	98,85	0,297			



522 Kabel, Drhte und Stromschienen (E)

522.007

© EIT.swiss 01.20











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteintrge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 1x240/80	GKN-Kabel hf 1x240/80	52	522 411 434		90,15	0,137	114,15	0,177	106 792 101	76,00	90,55
		53	522 411 435		106,15	0,251	138,80	0,324			
 4x6/6	GKN-Kabel hf 4x6/6 EMV optimiert	52	522 411 514		23,30	0,090	32,15	0,116			
		53	522 411 515		30,65	0,161	44,30	0,207			
 4x10/10	GKN-Kabel hf 4x10/10 EMV optimiert	52	522 411 524		29,90	0,090	40,00	0,116			
		53	522 411 525		37,25	0,161	52,15	0,207			
 4x16/16	GKN-Kabel hf 4x16/16 EMV optimiert	52	522 411 534		36,85	0,090	48,30	0,116			
		53	522 411 535		44,35	0,161	60,60	0,207			
 4x25/25	GKN-Kabel hf 4x25/25 EMV optimiert	52	522 411 544		46,00	0,090	59,20	0,116			
		53	522 411 545		53,45	0,161	71,45	0,207			
 4x50/50	GKN-Kabel hf 4x50/50 EMV optimiert	52	522 411 564		80,55	0,118	101,70	0,152			
		53	522 411 565		89,55	0,204	116,65	0,263			
 4x95/95	GKN-Kabel hf 4x95/95 EMV optimiert	52	522 411 574		138,50	0,137	171,75	0,177			
		53	522 411 575		147,75	0,225	187,00	0,290			
 4x150/150	GKN-Kabel hf 4x150/150 EMV optimiert	52	522 411 624		214,70	0,208	265,90	0,268			
		53	522 411 625		225,25	0,309	283,40	0,398			
 4x185/185	GKN-Kabel hf 4x185/185 EMV optimiert	52	522 411 634		336,40	0,208	410,90	0,268			
		53	522 411 635		346,95	0,309	428,40	0,398			
 4x240/240	GKN-Kabel hf 4x240/240 EMV optimiert	52	522 411 644		450,80	0,287	551,05	0,370			
		53	522 411 645		462,90	0,403	571,20	0,520			



522 Kabel, Drhte und Stromschienen (E)

522.008

© EIT.swiss 01.20











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteintrge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	AS GKN-Kabel 1x95/35	72	522 483 112		290,30	2,002	443,50	2,588			
		73	522 483 113		366,20	2,526	563,35	3,292			
	AS GKN-Kabel 1x150/50	72	522 483 122		304,30	2,131	466,20	2,753			
		73	522 483 123		400,55	2,761	618,05	3,613			
	AS GKN-Kabel 1x240/80	72	522 483 132		426,75	2,630	636,65	3,397			
		73	522 483 133		540,65	3,232	806,80	4,211			
	AS GKN-Kabel -4x10/10	72	522 483 312		280,30	1,840	424,85	2,382			
		73	522 483 313		363,00	2,528	566,55	3,340			
	AS GKN-Kabel -4x25/25	72	522 483 322		449,05	2,144	640,30	2,770			
		73	522 483 323		539,00	2,844	791,00	3,742			
	AS GKN-Kabel -4x50/50	72	522 483 332		548,70	2,787	790,65	3,601			
		73	522 483 333		702,95	3,845	1'036,05	5,039			
	AS GKN-Kabel -4x95/95	72	522 483 342		708,70	3,430	1'012,65	4,429			
		73	522 483 343		890,35	4,400	1'286,30	5,753			
	AS GKN-Kabel -4x150/150	72	522 483 352		741,65	3,719	1'065,20	4,795			
		73	522 483 353		1'008,00	5,221	1'477,00	6,889			
	AS GKN-Kabel -4x185/185	72	522 483 362		656,35	4,088	982,40	5,274			
		73	522 483 363		974,05	5,654	1'458,15	7,448			
	AS GKN-Kabel -4x240/240	72	522 483 372		686,50	4,348	1'029,60	5,598			
		73	522 483 373		1'068,25	5,932	1'582,85	7,798			



522 Kabel, Drhte und Stromschienen (E)

522.009

© EIT.swiss 01.20











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteintrge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 2x1	Flex-Kabel PVC 2x1	11	522 513 111		8,55	0,073	13,75	0,094	113 832 023	0,80	0,95
		52	522 513 112		7,00	0,060	11,20	0,077			
		53	522 513 113		11,90	0,107	19,40	0,138			
 3x1	Flex-Kabel PVC 3x1	11	522 513 121		8,65	0,073	13,85	0,094	113 832 033	0,85	1,05
		52	522 513 122		7,05	0,060	11,30	0,077			
		53	522 513 123		11,95	0,107	19,50	0,138			
 4x1	Flex-Kabel PVC 4x1	11	522 513 131		8,90	0,073	14,20	0,094	113 832 043	1,15	1,35
		52	522 513 132		7,35	0,060	11,65	0,077			
		53	522 513 133		12,25	0,107	19,80	0,138			
 5x1	Flex-Kabel PVC 5x1	11	522 513 141		9,15	0,073	14,50	0,094	113 832 053	1,40	1,65
		52	522 513 142		8,20	0,066	13,15	0,086			
		53	522 513 143		14,00	0,122	22,75	0,158			
 7x1	Flex-Kabel PVC 7x1	52	522 513 152		9,25	0,066	14,35	0,086	113 832 073	2,45	2,90
		53	522 513 153		15,05	0,122	24,00	0,158			
 10x1	Flex-Kabel PVC 10x1	52	522 513 162		10,45	0,066	15,80	0,086	113 832 103	3,65	4,35
		53	522 513 163		16,25	0,122	25,45	0,158			
 12x1	Flex-Kabel PVC 12x1	52	522 513 172		11,00	0,066	16,50	0,086	113 832 123	4,20	5,00
		53	522 513 173		16,85	0,122	26,15	0,158			
 2x1,5	Flex-Kabel PVC 2x1,5	11	522 513 211		8,90	0,073	14,15	0,094	113 833 023	1,10	1,35
		52	522 513 212		7,30	0,060	11,60	0,077			
		53	522 513 213		12,20	0,107	19,75	0,138			
 4x1,5	Flex-Kabel PVC 4x1,5	11	522 513 231		9,30	0,073	14,65	0,094	113 833 043	1,55	1,85
		52	522 513 232		8,35	0,066	13,30	0,086			
		53	522 513 233		14,15	0,122	22,95	0,158			
 7x1,5	Flex-Kabel PVC 7x1,5	52	522 513 252		10,10	0,066	15,40	0,086	113 833 073	3,30	3,95
		53	522 513 253		15,95	0,122	25,05	0,158			



522 Kabel, Drhte und Stromschienen (E)

522.010

© EIT.swiss 01.20











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteintrge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 10x1,5	Flex-Kabel PVC 10x1,5	52	522 513 262		12,25	0,066	17,95	0,086	113 833 103	5,45	6,50
		53	522 513 263		18,05	0,122	27,60	0,158			
 4x2,5	Flex-Kabel PVC 4x2,5	11	522 513 321		10,90	0,073	16,55	0,094	113 834 043	3,10	3,70
		52	522 513 322		9,90	0,066	15,15	0,086			
		53	522 513 323		15,75	0,122	24,80	0,158			
 7x2,5	Flex-Kabel PVC 7x2,5	52	522 513 342		12,25	0,066	17,95	0,086	113 834 073	5,45	6,45
		53	522 513 343		18,05	0,122	27,55	0,158			
 10x2,5	Flex-Kabel PVC 10x2,5	52	522 513 352		16,30	0,066	22,75	0,086	113 834 103	9,50	11,30
		53	522 513 353		22,10	0,122	32,40	0,158			
 12x2,5	Flex-Kabel PVC 12x2,5	52	522 513 362		16,15	0,066	22,60	0,086	113 834 123	9,35	11,15
		53	522 513 363		21,95	0,122	32,25	0,158			
 4x4	Flex-Kabel PVC 4x4	52	522 513 412		11,80	0,066	17,45	0,086	113 835 043	5,00	6,00
		53	522 513 413		17,65	0,122	27,10	0,158			
 7x4	Flex-Kabel PVC 7x4	52	522 513 432		15,65	0,066	22,00	0,086	113 835 073	8,80	10,50
		53	522 513 433		21,55	0,122	31,70	0,158			
 4x6	Flex-Kabel PVC 4x6	52	522 513 512		14,90	0,066	21,10	0,086	113 836 043	8,10	9,60
		53	522 513 513		20,70	0,122	30,75	0,158			
 7x6	Flex-Kabel PVC 7x6	52	522 513 532		23,40	0,090	32,25	0,116	113 836 073	14,10	16,80
		53	522 513 533		30,85	0,161	44,55	0,207			
 4x10	Flex-Kabel PVC 4x10	52	522 513 612		21,80	0,090	30,40	0,116	113 837 043	12,55	14,90
		53	522 513 613		29,25	0,161	42,65	0,207			



522 Kabel, Drhte und Stromschienen (E)

522.011

© EIT.swiss 01.20











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteintrge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 4x16	Flex-Kabel PVC 4x16	52	522 513 712		28,80	0,090	38,70	0,116	113 838 043	19,50	23,25
		53	522 513 713		36,25	0,161	51,00	0,207			
 1x150	Flex-Kabel Dca 1x150	52	522 543 153		57,45	0,090	72,80	0,116	114 284 103	48,15	57,35
		53	522 543 154		71,60	0,187	94,45	0,241			
 1x185	Flex-Kabel Dca 1x185	52	522 543 253		66,40	0,090	83,50	0,116	114 287 103	57,15	68,05
		53	522 543 254		80,60	0,187	105,15	0,241			
 1x240	Flex-Kabel Dca 1x240	52	522 543 353		84,45	0,090	105,00	0,116	114 290 003	75,20	89,55
		53	522 543 354		98,65	0,187	126,65	0,241			
 2x1	Flex-Kabel Cca 2x1	11	522 544 211		8,85	0,073	14,10	0,094			
		52	522 544 213		7,40	0,060	11,70	0,077			
		53	522 544 214		12,25	0,107	19,85	0,138			
 7x1	Flex-Kabel Cca 7x1	52	522 544 253		9,50	0,066	14,70	0,086			
		53	522 544 254		15,35	0,122	24,35	0,158			
 12x1	Flex-Kabel Cca 12x1	52	522 544 273		11,50	0,066	17,05	0,086			
		53	522 544 274		17,25	0,122	26,60	0,158			
 2x1,5	Flex-Kabel Cca 2x1,5	11	522 544 311		9,45	0,073	14,80	0,094			
		52	522 544 313		7,85	0,060	12,25	0,077			
		53	522 544 314		12,70	0,107	20,35	0,138			
 7x2,5	Flex-Kabel Cca 7x2,5	52	522 544 453		13,35	0,066	19,25	0,086			
		53	522 544 454		19,10	0,122	28,85	0,158			
 7x4	Flex-Kabel Cca 7x4	52	522 544 533		15,15	0,066	21,40	0,086			
		53	522 544 534		20,90	0,122	30,95	0,158			



522 Kabel, Drähte und Stromschienen (E)

522.012

© EIT.swiss 01.20











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 Cca 7x6	Flex-Kabel Cca 7x6	52	522 544 653		23,50	0,090	32,40	0,116			
		53	522 544 654		30,80	0,161	44,50	0,207			
 Cca 4x0,75	Flex-Kabel Cca 4x0,75 geschirmt	11	522 553 111		9,90	0,073	15,35	0,094	118 854 040	2,10	2,55
		52	522 553 113		8,30	0,060	12,80	0,077			
		53	522 553 114		13,20	0,107	20,95	0,138			
 Cca 8x0,75	Flex-Kabel Cca 8x0,75 geschirmt	11	522 553 121		13,90	0,073	20,15	0,094	118 854 080	6,15	7,30
		52	522 553 123		12,95	0,066	18,80	0,086			
		53	522 553 124		18,75	0,122	28,45	0,158			
 Cca 12x0,75	Flex-Kabel Cca 12x0,75 geschirmt	52	522 553 133		12,20	0,066	17,90	0,086	118 854 120	5,40	6,45
		53	522 553 134		18,00	0,122	27,55	0,158			
 Cca 18x0,75	Flex-Kabel Cca 18x0,75 geschirmt	52	522 553 143		14,60	0,066	20,75	0,086	118 854 180	7,80	9,25
		53	522 553 144		20,40	0,122	30,35	0,158			
 Cca 25x0,75	Flex-Kabel Cca 25x0,75 geschirmt	52	522 553 153		18,90	0,066	25,85	0,086			
		53	522 553 154		24,70	0,122	35,50	0,158			
 Cca 2x1	Flex-Kabel Cca 2x1 geschirmt	11	522 553 211		9,30	0,073	14,65	0,094	118 855 020	1,60	1,95
		52	522 553 213		7,80	0,060	12,20	0,077			
		53	522 553 214		12,70	0,107	20,35	0,138			
 Cca 7x1	Flex-Kabel Cca 7x1 geschirmt	52	522 553 253		11,10	0,066	16,60	0,086	118 855 070	4,30	5,10
		53	522 553 254		16,85	0,122	26,15	0,158			
 Cca 12x1	Flex-Kabel Cca 12x1 geschirmt	52	522 553 273		13,70	0,066	19,65	0,086	118 855 120	6,90	8,20
		53	522 553 274		19,45	0,122	29,25	0,158			
 PVC 2x2x0,5	Flex-Kabel PVC 2x2x0,5 geschirmt	11	522 562 111		9,65	0,073	15,10	0,094	113 773 023	2,00	2,40
		52	522 562 113		8,20	0,060	12,65	0,077			
		53	522 562 114		13,10	0,107	20,80	0,138			



522 Kabel, Drhte und Stromschienen (E)

522.013

© EIT.swiss 01.20

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteintrge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 PVC 3x2x0,5	Flex-Kabel PVC 3x2x0,5 geschirmt	11	522 562 121		9,85	0,073	15,35	0,094	113 773 033	2,20	2,60
		52	522 562 123		9,00	0,066	14,10	0,086			
		53	522 562 124		14,80	0,122	23,75	0,158			
 PVC 4x2x0,5	Flex-Kabel PVC 4x2x0,5 geschirmt	11	522 562 131		10,85	0,073	16,50	0,094	113 773 043	3,20	3,80
		52	522 562 133		10,00	0,066	15,25	0,086			
		53	522 562 134		15,80	0,122	24,90	0,158			
 AS 1x185	AS Flex-Kabel 1x185	72	522 582 112		127,95	0,768	191,25	1,002			
		73	522 582 113		225,35	1,378	341,10	1,818			
 AS 1x240	AS Flex-Kabel 1x240	72	522 582 212		127,95	0,768	191,25	1,002			
		73	522 582 213		234,45	1,378	351,90	1,818			
 AS 1x150	AS Flex-Kabel 1x150	72	522 582 312		115,60	0,648	170,75	0,848			
		73	522 582 313		192,15	1,142	290,00	1,514			
 AS -18x1,5	AS Flex-Kabel -18x1,5 geschirmt	71	522 585 751		75,75	0,734	126,15	0,946			
		72	522 585 752		175,70	1,560	287,00	2,024			
		73	522 585 753		401,95	3,728	696,05	5,070			
 AS -25x1,5	AS Flex-Kabel -25x1,5 geschirmt	71	522 585 761		94,70	0,918	157,55	1,182			
		72	522 585 762		215,80	1,942	353,40	2,516			
		73	522 585 763		534,85	4,998	929,15	6,802			
 PVC 1x6	Draht PVC 1x6	52	522 713 411		6,55	0,049	10,30	0,064	105 002 400	1,50	1,75
		53	522 713 412		9,00	0,073	14,30	0,094			
 PVC 5x6	Draht PVC 5x6	52	522 713 451		14,25	0,066	20,30	0,086			
		53	522 713 452		20,00	0,122	29,90	0,158			
 PVC 1x10	Seil PVC 1x10	52	522 723 111		9,35	0,060	14,00	0,077	105 502 500	3,15	3,75
		53	522 723 112		14,15	0,107	22,10	0,138			



© EIT.swiss 01.20