













512 Rohre, Schlaufkästen und Befestigungsmittel

512.001

© EIT.swiss 01.20










Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	KRS Ø 120 PE	20	512 251 401		26,20	0,087	35,85	0,117	125 370 500	13,35	15,90
		22	512 251 402		76,85	0,618	124,10	0,823			
		21	512 251 404		30,05	0,128	42,60	0,171			
	KRS Ø 150 PE	20	512 251 501		37,30	0,087	49,15	0,117	125 370 700	21,95	26,15
		22	512 251 502		90,00	0,618	139,75	0,823			
		21	512 251 504		41,20	0,128	55,85	0,171			
	KSR Ø 110 PE, flex	20	512 256 211		21,00	0,079	29,25	0,106	125 410 506	12,30	14,65
		22	512 256 212		72,50	0,618	118,90	0,823			
		21	512 256 214		24,80	0,120	35,85	0,160			
	KSR Ø 125 PE, flex	20	512 256 221		25,65	0,079	34,80	0,106	125 410 606	16,50	19,65
		22	512 256 222		78,40	0,618	125,90	0,823			
		21	512 256 224		29,45	0,120	41,40	0,160			
	KSR Ø 140 PE, flex	20	512 256 231		29,60	0,079	39,50	0,106	125 410 706	19,90	23,70
		22	512 256 232		83,15	0,618	131,60	0,823			
		21	512 256 234		33,45	0,120	46,15	0,160			
	KSR Ø 160 PE, flex	20	512 256 241		35,15	0,079	46,15	0,106	125 410 806	24,90	29,65
		22	512 256 242		90,15	0,618	139,90	0,823			
		21	512 256 244		39,00	0,120	52,75	0,160			
	KRS-Bogen 90°, Ø 120 PE	22	512 257 214		165,95	0,389	218,05	0,517	126 746 005	131,10	156,15
	KRS-Bogen 90°, Ø 150 PE	22	512 257 215		212,95	0,389	274,00	0,517	126 746 007	178,00	212,05
	KRS-Bogen 90°, Ø 120 PE, flex	22	512 257 234		153,35	0,389	203,00	0,517	126 744 005	117,50	139,95
	KRS-Bogen 90°, Ø 150 PE, flex	22	512 257 235		224,15	0,389	287,35	0,517	126 744 007	188,30	224,30
	KRS-Bogen 45°, Ø 120 PE	22	512 257 244		118,50	0,389	161,50	0,517	126 745 005	83,25	99,15
	KRS-Bogen 45°, Ø 150 PE	22	512 257 245		163,40	0,389	215,00	0,517	126 745 007	127,55	151,95
	KRS-Bogen 45°, Ø 120 PE, flex	22	512 257 254		139,65	0,389	186,70	0,517	126 747 015	103,10	122,80
	KRS-Bogen 45°, Ø 150 PE, flex	22	512 257 255		192,60	0,389	249,80	0,517	126 747 017	156,05	185,90



512 Rohre, Schlaufkästen und Befestigungsmittel

512.002

© EIT.swiss 01.20




Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 63	KRFWG 63 hf	11	512 313 671		23,80	0,130	35,10	0,172	125 252 802	11,10	13,25
		21	512 313 672		23,25	0,118	33,85	0,157			
		22	512 313 673		35,75	0,259	56,25	0,345			
		23	512 313 674		43,70	0,348	70,30	0,463			
		20	512 313 675		15,25	0,043	20,40	0,057			
 16	Al-Rohr 16	11	512 332 211		19,60	0,167	32,00	0,221	125 061 199	3,05	3,65
		12	512 332 212		23,10	0,205	38,30	0,273			
		13	512 332 213		26,60	0,244	44,50	0,325			
 63	Al-Rohr 63	11	512 332 271		47,25	0,205	67,10	0,273	125 061 799	19,85	23,65
		12	512 332 272		51,45	0,251	74,35	0,333			
		13	512 332 273		54,90	0,290	80,55	0,385			
 63	Al-Bogen 63	11	512 337 227		69,20	0,138	89,75	0,184	126 276 070	56,95	67,80
 6	Einlassdose 3x2 NUP, t -120	20	512 612 141	11	85,25	0,296	121,00	0,427	370 313 200	58,15	69,25
		21	512 612 142	11	86,10	0,306	122,80	0,442			
		22	512 612 143	11	107,40	0,545	163,80	0,786			
		23	512 612 144	11	148,10	0,994	241,85	1,433			
 8	Einlassdose 4x2 NUP, t -120	20	512 612 151	11	100,90	0,413	147,30	0,595	370 314 200	63,30	75,40
		21	512 612 152	11	102,05	0,426	149,55	0,614			
		22	512 612 153	11	134,65	0,792	212,40	1,141			
		23	512 612 154	11	180,90	1,302	301,20	1,878			
 9	Einlassdose 3x3 NUP, t -120	20	512 612 161	11	102,75	0,413	149,50	0,595	370 313 300	65,10	77,50
		21	512 612 162	11	103,90	0,426	151,80	0,614			
		22	512 612 163	11	136,50	0,792	214,60	1,141			
		23	512 612 164	11	182,85	1,302	303,55	1,878			
 12	Einlassdose 4x3 NUP, t -120	20	512 612 171	11	113,05	0,468	165,45	0,675	370 314 300	70,20	83,60
		21	512 612 172	11	114,20	0,481	167,65	0,693			
		22	512 612 173	11	158,35	0,977	252,85	1,408			
		23	512 612 174	11	219,40	1,649	369,90	2,378			
 15	Einlassdose FLF 3x5, t -90	20	512 613 231	11	91,10	0,198	121,50	0,285	370 533 500	73,05	87,00
		21	512 613 232	11	95,65	0,249	130,35	0,359			
		22	512 613 233	11	111,95	0,432	161,80	0,623			
		23	512 613 234	11	140,20	0,749	216,30	1,080			



512 Rohre, Schlaufkästen und Befestigungsmittel

512.003

© EIT.swiss 01.20

Allgemeine Informationen					Unternehmer-Informationen (unverbindliche Richtwerte)						
		IC	NPk	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
<div><div>FLF</div><div></div><div>16</div></div>	Einlassdose FLF 4x4, t -90	20	512 613 241	11	103,35	0,296	142,60	0,427	370 534 400	76,50	91,15
		21	512 613 242	11	104,25	0,306	144,40	0,442			
		22	512 613 243	11	125,55	0,545	185,40	0,786			
		23	512 613 244	11	166,00	0,994	263,15	1,433			
<div><div>Gr2</div><div></div><div>t-75</div></div>	Einlassdose Gr2, t 55-75 für GUP	20	512 614 211	11	42,55	0,140	60,00	0,203	371 215 300	30,00	35,70
		21	512 614 212	11	43,70	0,153	62,15	0,221			
		22	512 614 213	11	51,90	0,245	77,90	0,353			
		23	512 614 214	11	64,60	0,387	102,45	0,558			
<div><div>Gr2</div><div></div><div>t-90</div></div>	Einlassdose Gr2, t 70-90 für GUP	20	512 614 311	11	42,55	0,140	60,00	0,203	371 215 600	30,00	35,70
		21	512 614 312	11	43,70	0,153	62,20	0,221			
		22	512 614 313	11	51,90	0,245	77,90	0,353			
		23	512 614 314	11	64,65	0,387	102,45	0,558			



Allgemeine Informationen			Unternehmer-Informationen (unverbindliche Richtwerte)								
IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF		
					</						