













522 Starkstromleiter

522.001

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	FE0-Kabel Dca 8x1,5	52	522 211 173		10,65	0,066	16,05	0,086			
		53	522 211 174		16,55	0,122	25,85	0,158			
	FE0-Kabel Dca 12x1,5	52	522 211 213		12,15	0,066	17,85	0,086			
		53	522 211 214		18,10	0,122	27,65	0,158			
	FE0-Kabel Dca 16x1,5	52	522 211 223		14,25	0,066	20,35	0,086			
		53	522 211 224		20,15	0,122	30,15	0,158			
	FE0-Kabel Dca 21x1,5	52	522 211 233		16,45	0,066	22,95	0,086			
		53	522 211 234		22,35	0,122	32,80	0,158			
	FE0-Kabel Dca 27x1,5	52	522 211 243		21,90	0,090	30,55	0,116			
		53	522 211 244		29,45	0,161	42,95	0,207			
	FE0-Kabel Dca 7x4	52	522 211 553		12,10	0,066	17,75	0,086			
		53	522 211 554		18,00	0,122	27,60	0,158			
	FE0-Kabel Dca 7x6	52	522 211 653		18,40	0,066	25,30	0,086			
		53	522 211 654		24,35	0,122	35,15	0,158			
	FE0-Kabel Dca 1x10	52	522 212 113		9,95	0,066	15,25	0,086			
		53	522 212 114		15,90	0,122	25,10	0,158			
	FE0-Kabel Dca 4x50	52	522 212 533		58,25	0,090	73,80	0,116			
		53	522 212 534		65,85	0,161	86,30	0,207			
	FE0-Kabel Dca 4x70	52	522 212 623		70,90	0,118	90,30	0,152			
		53	522 212 624		80,10	0,204	105,50	0,263			



522 Starkstromleiter

522.002

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
<div>FE0 D</div>  <div>1x120</div>	FE0-Kabel Dca 1x120	52	522 214 113		37,35	0,090	48,95	0,116			
		53	522 214 114		51,70	0,187	70,80	0,241			
<div>FE0 D</div>  <div>1x150</div>	FE0-Kabel Dca 1x150	52	522 214 213		44,30	0,090	57,20	0,116			
		53	522 214 214		58,60	0,187	79,05	0,241			
<div>FE0 D</div>  <div>1x185</div>	FE0-Kabel Dca 1x185	52	522 214 313		52,45	0,090	66,95	0,116			
		53	522 214 314		66,80	0,187	88,75	0,241			
<div>FE0 D</div>  <div>1x240</div>	FE0-Kabel Dca 1x240	52	522 214 413		64,75	0,090	81,55	0,116			
		53	522 214 414		79,05	0,187	103,40	0,241			
<div>FE05 C</div>  <div>1x120</div>	FE05-Kabel Cca 1x120	52	522 232 513		36,00	0,090	47,30	0,116			
		53	522 232 514		50,30	0,187	69,15	0,241			
<div>FE05 C</div>  <div>1x150</div>	FE05-Kabel Cca 1x150	52	522 232 613		42,85	0,090	55,50	0,116			
		53	522 232 614		57,20	0,187	77,35	0,241			
<div>FE05 C</div>  <div>1x185</div>	FE05-Kabel Cca 1x185	52	522 232 713		51,45	0,090	65,75	0,116			
		53	522 232 714		65,80	0,187	87,60	0,241			
<div>FE05 C</div>  <div>1x240</div>	FE05-Kabel Cca 1x240	52	522 233 113		64,05	0,090	80,75	0,116			
		53	522 233 114		78,40	0,187	102,60	0,241			
<div>FE05 B2</div>  <div>1x120</div>	FE05-Kabel B2ca 1x120	52	522 235 513		36,00	0,090	47,30	0,116			
		53	522 235 514		50,30	0,187	69,15	0,241			
<div>FE05 B2</div>  <div>1x150</div>	FE05-Kabel B2ca 1x150	52	522 235 613		42,85	0,090	55,50	0,116			
		53	522 235 614		57,20	0,187	77,35	0,241			



522 Starkstromleiter

522.003

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 1x185	FE05-Kabel B2ca 1x185	52	522 235 713		51,45	0,090	65,75	0,116			
		53	522 235 714		65,80	0,187	87,60	0,241			
 1x240	FE05-Kabel B2ca 1x240	52	522 236 113		64,05	0,090	80,75	0,116			
		53	522 236 114		78,40	0,187	102,60	0,241			
 4x1,5	FE180/E30-Kabel 4x1,5	12	522 261 132		37,85	0,297	61,05	0,392			
		52	522 261 133		9,70	0,066	14,90	0,086			
		53	522 261 134		15,65	0,122	24,75	0,158			
 3x4	FE180/E30-Kabel 3x4	12	522 261 312	11	39,45	0,297	62,95	0,392			
		52	522 261 313	11	11,30	0,066	16,80	0,086			
		53	522 261 314	11	17,20	0,122	26,65	0,158			
 7x4	FE180/E30-Kabel 7x4	12	522 261 332	11	47,55	0,297	72,60	0,392			
		52	522 261 333	11	19,35	0,066	26,40	0,086			
		53	522 261 334	11	25,30	0,122	36,25	0,158			
 3x6	FE180/E30-Kabel 3x6	12	522 261 412	11	40,25	0,297	63,85	0,392			
		52	522 261 413	11	12,00	0,066	17,65	0,086			
		53	522 261 414	11	17,95	0,122	27,50	0,158			
 7x6	FE180/E30-Kabel 7x6	12	522 261 432	11	50,80	0,312	77,15	0,411			
		52	522 261 433	11	23,35	0,090	32,30	0,116			
		53	522 261 434	11	30,90	0,161	44,70	0,207			
 1x120	FE180/E30-Kabel 1x120	52	522 262 513		40,15	0,090	52,30	0,116			
		53	522 262 514		54,50	0,187	74,10	0,241			
 1x150	FE180/E30-Kabel 1x150	52	522 262 613		46,05	0,090	59,30	0,116			
		53	522 262 614		60,35	0,187	81,15	0,241			
 1x185	FE180/E30-Kabel 1x185	52	522 262 713		56,75	0,090	72,10	0,116			
		53	522 262 714		71,10	0,187	93,90	0,241			



522 Starkstromleiter

522.004

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	FE180/E90-Kabel 4x1,5	12	522 263 132		43,20	0,297	67,35	0,392	109 211 436	8,00	9,50
		52	522 263 133		14,95	0,066	21,20	0,086			
		53	522 263 134		20,90	0,122	31,00	0,158			
	FE180/E90-Kabel 3x4	12	522 263 312	11	46,05	0,297	70,80	0,392	109 231 326	10,80	12,85
		52	522 263 313	11	17,75	0,066	24,55	0,086			
		53	522 263 314	11	23,70	0,122	34,35	0,158			
	FE180/E90-Kabel 7x4	12	522 263 332	11	46,25	0,297	71,05	0,392			
		52	522 263 333	11	17,90	0,066	24,70	0,086			
		53	522 263 334	11	23,80	0,122	34,50	0,158			
	FE180/E90-Kabel 3x6	12	522 263 412	11	52,20	0,297	78,10	0,392	109 241 326	16,90	20,15
		52	522 263 413	11	23,90	0,066	31,80	0,086			
		53	522 263 414	11	29,80	0,122	41,65	0,158			
	FE180/E90-Kabel 7x6	12	522 263 432	11	51,95	0,312	78,50	0,411			
		52	522 263 433	11	24,40	0,090	33,55	0,116			
		53	522 263 434	11	31,95	0,161	45,95	0,207			
	FE180/E90-Kabel 1x120	52	522 264 513		72,15	0,090	90,40	0,116	109 281 106	62,65	74,65
		53	522 264 514		86,50	0,187	112,25	0,241			
	FE180/E90-Kabel 1x150	52	522 264 613		89,45	0,090	111,00	0,116	109 284 106	79,95	95,25
		53	522 264 614		103,80	0,187	132,85	0,241			
	FE180/E90-Kabel 1x185	52	522 264 713		106,10	0,090	130,85	0,116	109 287 106	96,60	115,05
		53	522 264 714		120,45	0,187	152,65	0,241			
	FE180/E60-Kabel 4x1,5	12	522 265 132		40,70	0,297	64,40	0,392	109 211 434	5,50	6,55
		52	522 265 133		12,45	0,066	18,20	0,086			
		53	522 265 134		18,40	0,122	28,05	0,158			
	FE180/E60-Kabel 3x4	12	522 265 312	11	43,75	0,297	68,00	0,392	109 231 324	8,55	10,15
		52	522 265 313	11	15,50	0,066	21,85	0,086			
		53	522 265 314	11	21,45	0,122	31,65	0,158			



522 Starkstromleiter

522.005

© EIT.swiss 01.22











Allgemeine Informationen					Unternehmer-Informationen (unverbindliche Richtwerte)						
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	FE180/E60-Kabel 7x4	12	522 265 332	11	45,90	0,297	70,60	0,392			
		52	522 265 333	11	17,50	0,066	24,25	0,086			
		53	522 265 334	11	23,45	0,122	34,10	0,158			
	FE180/E60-Kabel 3x6	12	522 265 412	11	47,60	0,297	72,65	0,392	109 241 324	12,30	14,70
		52	522 265 413	11	19,30	0,066	26,35	0,086			
		53	522 265 414	11	25,25	0,122	36,20	0,158			
	FE180/E60-Kabel 7x6	12	522 265 432	11	48,75	0,312	74,70	0,411			
		52	522 265 433	11	21,30	0,090	29,80	0,116			
		53	522 265 434	11	28,80	0,161	42,20	0,207			
	FE180/E60-Kabel 1x120	52	522 266 513		40,15	0,090	52,30	0,116			
		53	522 266 514		54,50	0,187	74,10	0,241			
	FE180/E60-Kabel 1x150	52	522 266 613		46,05	0,090	59,30	0,116			
		53	522 266 614		60,35	0,187	81,15	0,241			
	FE180/E60-Kabel 1x185	52	522 266 713		56,75	0,090	72,10	0,116			
		53	522 266 714		71,10	0,187	93,90	0,241			
	Kabel Eca 5x6 + 5x1,5 mit Steuerleiter 0-4	52	522 351 103		15,45	0,066	21,80	0,086			
		53	522 351 104		21,45	0,122	31,70	0,158			
	Kabel Eca 5x10 + 5x1,5 mit Steuerleiter 0-4	52	522 351 203		21,20	0,090	29,70	0,116			
		53	522 351 204		28,80	0,161	42,20	0,207			
	AS FE0/FE05-Kabel -12x2,5	72	522 381 141		122,85	0,990	196,75	1,290			
		73	522 381 142		286,30	2,508	489,20	3,414			
		71	522 381 143		48,00	0,454	79,70	0,586			
	AS FE0/FE05-Kabel -16x2,5	72	522 381 151		160,70	1,350	259,65	1,754			
		73	522 381 152		374,65	3,336	642,75	4,536			
		71	522 381 153		61,00	0,578	101,40	0,746			



522 Starkstromleiter

522.006

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	AS FE0/FE05-Kabel -21x2,5	72	522 381 161		182,75	1,560	296,20	2,024			
		73	522 381 162		450,25	4,040	777,20	5,514			
		71	522 381 163		77,40	0,734	128,50	0,946			
	AS FE0/FE05-Kabel -27x2,5	72	522 381 171		253,10	1,942	398,80	2,516			
		73	522 381 172		604,95	5,206	1'030,05	7,098			
		71	522 381 173		96,75	0,918	160,45	1,182			
	AS FE0/FE05-Kabel -1x120	72	522 381 611		86,90	0,648	136,90	0,848			
		73	522 381 612		158,70	1,142	250,75	1,514			
	AS FE0/FE05-Kabel -5x120	72	522 381 631		223,10	1,982	365,00	2,564			
		73	522 381 632		439,85	3,100	699,45	4,160			
	AS FE0/FE05-Kabel 1x150	72	522 381 711		117,10	0,648	172,80	0,848			
		73	522 381 712		192,75	1,142	291,30	1,514			
	AS FE0/FE05-Kabel 5x6 + 5x1,5	72	522 384 101		117,95	0,946	189,15	1,236			
		73	522 384 102		257,80	2,238	438,65	3,042			
		71	522 384 103		44,40	0,420	73,75	0,542			
	AS FE0/FE05-Kabel 5x10 + 5x1,5	72	522 384 201		181,80	1,264	281,20	1,648			
		73	522 384 202		336,70	2,572	549,55	3,476			
		71	522 384 203		54,70	0,518	91,10	0,670			
	AS FE0/FE05-Kabel 1x240	72	522 385 111		129,70	0,768	193,70	1,002			
		73	522 385 112		239,65	1,378	358,85	1,818			
	AS FE0/FE05-Kabel 1x185	72	522 385 211		129,70	0,768	193,70	1,002			
		73	522 385 212		224,95	1,378	341,30	1,818			
	AS FE180/-E90-Kabel 1x150	72	522 386 112		117,10	0,648	172,80	0,848			
		73	522 386 113		192,75	1,142	291,30	1,514			



522 Starkstromleiter

522.007

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 1x185	AS FE180/-E90-Kabel 1x185	72	522 386 212		129,70	0,768	193,70	1,002			
		73	522 386 213		224,95	1,378	341,30	1,818			
 -3x6	AS FE180/-E90-Kabel -3x6	71	522 387 211		25,50	0,240	42,30	0,310			
		72	522 387 212		78,40	0,626	125,75	0,820			
		73	522 387 213		132,45	1,126	220,40	1,506			
 -7x6	AS FE180/-E90-Kabel -7x6	71	522 387 231		31,40	0,296	52,10	0,382			
		72	522 387 232		101,20	0,784	160,70	1,024			
		73	522 387 233		203,85	1,728	342,55	2,336			
 1x120	AS FE180/-E90-Kabel 1x120	72	522 387 712		86,90	0,648	136,90	0,848			
		73	522 387 713		158,70	1,142	250,75	1,514			
 3x6/6	GKN-Kabel hf 3x6/6	52	522 411 114		15,85	0,090	23,35	0,116			
		53	522 411 115		23,40	0,161	35,75	0,207			
 3x10/10	GKN-Kabel hf 3x10/10	52	522 411 124		19,05	0,090	27,15	0,116			
		53	522 411 125		26,55	0,161	39,55	0,207			
 3x16/16	GKN-Kabel hf 3x16/16	52	522 411 134		24,20	0,090	33,30	0,116			
		53	522 411 135		31,85	0,161	45,80	0,207			
 3x25/25	GKN-Kabel hf 3x25/25	52	522 411 144		32,35	0,090	42,95	0,116			
		53	522 411 145		39,95	0,161	55,45	0,207			
 3x50/50	GKN-Kabel hf 3x50/50	52	522 411 164		84,15	0,118	106,05	0,152	106 770 411	71,70	85,40
		53	522 411 165		93,35	0,204	121,30	0,263			
 3x95/95	GKN-Kabel hf 3x95/95	52	522 411 174		93,90	0,137	118,65	0,177			
		53	522 411 175		103,30	0,225	134,15	0,290			



522 Starkstromleiter

522.008

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 3x150/150	GKN-Kabel hf 3x150/150	52	522 411 224		145,45	0,208	183,50	0,268			
		53	522 411 225		156,20	0,309	201,30	0,398			
 3x185/185	GKN-Kabel hf 3x185/185	52	522 411 234		188,50	0,208	234,80	0,268			
		53	522 411 235		199,30	0,309	252,60	0,398			
 3x240/240	GKN-Kabel hf 3x240/240	52	522 411 244		235,00	0,287	294,15	0,370			
		53	522 411 245		247,35	0,403	314,65	0,520			
 1x95/35	GKN-Kabel hf 1x95/35	52	522 411 414		40,00	0,118	53,45	0,152			
		53	522 411 415		56,05	0,230	78,20	0,297			
 1x150/50	GKN-Kabel hf 1x150/50	52	522 411 424		53,40	0,118	69,45	0,152			
		53	522 411 425		69,50	0,230	94,20	0,297			
 1x240/80	GKN-Kabel hf 1x240/80	52	522 411 434		80,10	0,137	102,25	0,177			
		53	522 411 435		96,35	0,251	127,25	0,324			
 4x6/6	GKN-Kabel hf 4x6/6 EMV optimiert	52	522 411 514		18,30	0,090	26,30	0,116			
		53	522 411 515		25,85	0,161	38,65	0,207			
 4x10/10	GKN-Kabel hf 4x10/10 EMV optimiert	52	522 411 524		22,65	0,090	31,45	0,116			
		53	522 411 525		30,20	0,161	43,85	0,207			
 4x16/16	GKN-Kabel hf 4x16/16 EMV optimiert	52	522 411 534		29,85	0,090	40,05	0,116			
		53	522 411 535		37,50	0,161	52,60	0,207			
 4x25/25	GKN-Kabel hf 4x25/25 EMV optimiert	52	522 411 544		39,35	0,090	51,35	0,116			
		53	522 411 545		46,95	0,161	63,80	0,207			



522 Starkstromleiter

522.009

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 4x50/50	GKN-EMV GKN-Kabel hf 4x50/50 EMV optimiert	52	522 411 564		68,05	0,118	86,85	0,152			
		53	522 411 565		77,25	0,204	102,10	0,263			
 4x95/95	GKN-EMV GKN-Kabel hf 4x95/95 EMV optimiert	52	522 411 574		117,05	0,137	146,25	0,177			
		53	522 411 575		126,45	0,225	161,75	0,290			
 4x150/150	GKN-EMV GKN-Kabel hf 4x150/150 EMV optimiert	52	522 411 624		183,65	0,208	229,00	0,268			
		53	522 411 625		194,40	0,309	246,85	0,398			
 4x185/185	GKN-EMV GKN-Kabel hf 4x185/185 EMV optimiert	52	522 411 634		239,25	0,208	295,25	0,268			
		53	522 411 635		250,00	0,309	313,05	0,398			
 4x240/240	GKN-EMV GKN-Kabel hf 4x240/240 EMV optimiert	52	522 411 644		295,60	0,287	366,30	0,370			
		53	522 411 645		307,95	0,403	386,85	0,520			
 -1x95/35	AS AS GKN-Kabel 1x95/35	72	522 483 112		298,25	2,002	453,95	2,588			
		73	522 483 113		374,35	2,526	574,40	3,292			
 -1x150/50	AS AS GKN-Kabel 1x150/50	72	522 483 122		312,55	2,131	477,05	2,753			
		73	522 483 123		411,25	2,761	632,25	3,613			
 -1x240/80	AS AS GKN-Kabel 1x240/80	72	522 483 132		432,60	2,630	644,90	3,397			
		73	522 483 133		549,30	3,232	818,75	4,211			
 -4x10/10	AS AS GKN-Kabel -4x10/10	72	522 483 312		285,80	1,840	432,45	2,382			
		73	522 483 313		368,75	2,528	574,85	3,340			
 -4x25/25	AS AS GKN-Kabel -4x25/25	72	522 483 322		460,80	2,144	655,35	2,770			
		73	522 483 323		553,70	2,844	810,05	3,742			



522 Starkstromleiter

522.010

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
<div>AS</div> <div></div> <div>-4x50/50</div>	AS GKN-Kabel -4x50/50	72	522 483 332		564,95	2,787	811,40	3,601			
		73	522 483 333		719,95	3,845	1'058,35	5,039			
<div>AS</div> <div></div> <div>-4x95/95</div>	AS GKN-Kabel -4x95/95	72	522 483 342		734,75	3,430	1'045,40	4,429			
		73	522 483 343		912,05	4,400	1'314,50	5,753			
<div>AS</div> <div></div> <div>-4x150/150</div>	AS GKN-Kabel -4x150/150	72	522 483 352		767,65	3,719	1'098,05	4,795			
		73	522 483 353		1'044,25	5,221	1'523,15	6,889			
<div>AS</div> <div></div> <div>-4x185/185</div>	AS GKN-Kabel -4x185/185	72	522 483 362		668,95	4,088	999,45	5,274			
		73	522 483 363		989,25	5,654	1'479,45	7,448			
<div>AS</div> <div></div> <div>-4x240/240</div>	AS GKN-Kabel -4x240/240	72	522 483 372		699,70	4,348	1'047,45	5,598			
		73	522 483 373		1'095,50	5,932	1'618,60	7,798			
<div>B2</div> <div></div> <div>1x120</div>	Flex-Kabel B2ca 1x120	52	522 532 513		36,95	0,090	48,45	0,116			
		53	522 532 514		51,25	0,187	70,30	0,241			
<div>B2</div> <div></div> <div>1x150</div>	Flex-Kabel B2ca 1x150	52	522 532 613		44,15	0,090	57,05	0,116			
		53	522 532 614		58,50	0,187	78,90	0,241			
<div>B2</div> <div></div> <div>1x185</div>	Flex-Kabel B2ca 1x185	52	522 532 713		52,70	0,090	67,20	0,116			
		53	522 532 714		67,00	0,187	89,05	0,241			
<div>B2</div> <div></div> <div>1x240</div>	Flex-Kabel B2ca 1x240	52	522 533 113	17	64,65	0,090	81,45	0,116			
		53	522 533 114	17	79,00	0,187	103,30	0,241			
<div>Dca</div> <div></div> <div>1x120</div>	Flex-Kabel Dca 1x120	52	522 542 753		44,05	0,090	56,95	0,116	114 281 103	34,55	41,20
		53	522 542 754		58,40	0,187	78,80	0,241			



522 Starkstromleiter

522.011

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	Flex-Kabel Dca 1x150	52	522 543 153		52,80	0,090	67,35	0,116	114 284 103	43,30	51,55
		53	522 543 154		67,10	0,187	89,15	0,241			
	Flex-Kabel Dca 1x185	52	522 543 253		61,75	0,090	78,00	0,116	114 287 103	52,25	62,25
		53	522 543 254		76,10	0,187	99,85	0,241			
	Flex-Kabel Dca 1x240	52	522 543 353		78,05	0,090	97,45	0,116	114 290 003	68,55	81,70
		53	522 543 354		92,40	0,187	119,30	0,241			
	Flex-Kabel Cca 2x1	11	522 544 211		9,25	0,073	14,60	0,094			
		52	522 544 213		7,60	0,060	11,95	0,077			
		53	522 544 214		12,60	0,107	20,30	0,138			
	Flex-Kabel Cca 7x1	52	522 544 253		9,90	0,066	15,20	0,086			
		53	522 544 254		15,85	0,122	25,05	0,158			
	Flex-Kabel Cca 12x1	52	522 544 273		12,00	0,066	17,65	0,086			
		53	522 544 274		17,95	0,122	27,50	0,158			
	Flex-Kabel Cca 2x1,5	11	522 544 311		9,75	0,073	15,20	0,094			
		52	522 544 313		8,10	0,060	12,60	0,077			
		53	522 544 314		13,10	0,107	20,90	0,138			
	Flex-Kabel Cca 10x1,5	52	522 544 363		12,85	0,066	18,65	0,086			
		53	522 544 364		18,80	0,122	28,50	0,158			
	Flex-Kabel Cca 12x1,5	52	522 544 373		14,35	0,066	20,45	0,086			
		53	522 544 374		20,30	0,122	30,30	0,158			
	Flex-Kabel Cca 7x4	52	522 544 533		16,25	0,066	22,70	0,086			
		53	522 544 534		22,15	0,122	32,55	0,158			



522 Starkstromleiter

522.012

© EIT.swiss 01.22











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	Flex-Kabel Cca 7x6	52	522 544 653		25,10	0,090	34,40	0,116			
		53	522 544 654		32,65	0,161	46,80	0,207			
	Flex-Kabel Cca 1x120	52	522 545 753		71,45	0,090	89,55	0,116	114 281 106	61,95	73,80
		53	522 545 754		85,75	0,187	111,35	0,241			
	Flex-Kabel Cca 1x150	52	522 546 153		86,50	0,090	107,45	0,116	114 284 106	77,00	91,70
		53	522 546 154		100,80	0,187	129,30	0,241			
	Flex-Kabel Cca 1x185	52	522 546 253		103,65	0,090	127,95	0,116	114 287 106	94,15	112,15
		53	522 546 254		118,00	0,187	149,75	0,241			
	Flex-Kabel Cca 1x240	52	522 546 353		131,70	0,090	161,35	0,116	114 290 006	122,20	145,60
		53	522 546 354		146,05	0,187	183,20	0,241			
	Flex-Kabel Cca 4x0,75 geschirmt	11	522 553 111		11,10	0,073	16,80	0,094	118 854 040	3,10	3,70
		52	522 553 113		9,45	0,060	14,15	0,077			
		53	522 553 114		14,45	0,107	22,50	0,138			
	Flex-Kabel Cca 8x0,75 geschirmt	11	522 553 121		16,30	0,073	23,00	0,094	118 854 080	8,30	9,90
		52	522 553 123		15,25	0,066	21,55	0,086			
		53	522 553 124		21,20	0,122	31,40	0,158			
	Flex-Kabel Cca 12x0,75 geschirmt	52	522 553 133		14,85	0,066	21,10	0,086	118 854 120	7,90	9,40
		53	522 553 134		20,80	0,122	30,90	0,158			
	Flex-Kabel Cca 18x0,75 geschirmt	52	522 553 143		19,70	0,066	26,85	0,086	118 854 180	12,75	15,20
		53	522 553 144		25,65	0,122	36,70	0,158			
	Flex-Kabel Cca 25x0,75 geschirmt	52	522 553 153		19,95	0,066	27,15	0,086			
		53	522 553 154		25,90	0,122	36,95	0,158			



522 Starkstromleiter

522.013

© EIT.swiss 01.22











Allgemeine Informationen			Unternehmer-Informationen (unverbindliche Richtwerte)									
			IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 2x1	Cca Flex-Kabel Cca 2x1 geschirmt		11	522 553 211		10,35	0,073	15,90	0,094	118 855 020	2,35	2,80
			52	522 553 213		8,70	0,060	13,30	0,077			
			53	522 553 214		13,70	0,107	21,60	0,138			
 7x1	Cca Flex-Kabel Cca 7x1 geschirmt		52	522 553 253		12,85	0,066	18,65	0,086	118 855 070	5,85	7,00
			53	522 553 254		18,75	0,122	28,50	0,158			
 12x1	Cca Flex-Kabel Cca 12x1 geschirmt		52	522 553 273		16,45	0,066	23,00	0,086	118 855 120	9,50	11,30
			53	522 553 274		22,40	0,122	32,80	0,158			
 5x25	Cca Flex-Kabel Cca 5x25 geschirmt		52	522 554 243		67,90	0,090	85,35	0,116			
			53	522 554 244		75,40	0,161	97,70	0,207			
 2x2x0,5	PVC Flex-Kabel PVC 2x2x0,5 geschirmt		11	522 562 111		10,70	0,073	16,35	0,094	113 773 023	2,70	3,25
			52	522 562 113		9,05	0,060	13,70	0,077			
			53	522 562 114		14,05	0,107	22,05	0,138			
 3x2x0,5	PVC Flex-Kabel PVC 3x2x0,5 geschirmt		11	522 562 121		11,00	0,073	16,75	0,094	113 773 033	3,05	3,65
			52	522 562 123		10,00	0,066	15,30	0,086			
			53	522 562 124		15,95	0,122	25,15	0,158			
 4x2x0,5	PVC Flex-Kabel PVC 4x2x0,5 geschirmt		11	522 562 131		12,25	0,073	18,20	0,094	113 773 043	4,30	5,10
			52	522 562 133		11,25	0,066	16,80	0,086			
			53	522 562 134		17,20	0,122	26,65	0,158			
 -12x2,5	AS AS Flex-Kabel -12x2,5		72	522 581 141		125,15	0,990	199,50	1,290			
			73	522 581 142		286,30	2,508	489,20	3,414			
			71	522 581 143		48,00	0,454	79,70	0,586			
 -1x120	AS AS Flex-Kabel -1x120		72	522 581 612		90,05	0,648	140,60	0,848			
			73	522 581 613		158,70	1,142	250,75	1,514			
 1x185	AS AS Flex-Kabel 1x185		72	522 582 112		129,70	0,768	193,70	1,002			
			73	522 582 113		228,30	1,378	345,30	1,818			



522 Starkstromleiter

522.014

© EIT.swiss 01.22





Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	AS Flex-Kabel 1x240	72	522 582 212		129,70	0,768	193,70	1,002			
		73	522 582 213		239,65	1,378	358,85	1,818			
	AS Flex-Kabel 1x150	72	522 582 312		117,10	0,648	172,80	0,848			
		73	522 582 313		196,10	1,142	295,30	1,514			
	AS Flex-Kabel -18x1,5 geschirmt	71	522 585 751		77,40	0,734	128,50	0,946			
		72	522 585 752		179,20	1,560	291,95	2,024			
		73	522 585 753		410,35	3,728	708,50	5,070			
	AS Flex-Kabel -25x1,5 geschirmt	71	522 585 761		96,75	0,918	160,45	1,182			
		72	522 585 762		220,15	1,942	359,60	2,516			
		73	522 585 763		546,10	4,998	945,90	6,802			
	Draht Eca 1x6	52	522 713 411		7,45	0,049	11,40	0,064	105 002 400	2,25	2,70
		53	522 713 412		9,95	0,073	15,45	0,094			
	Seil Eca 1x10	52	522 723 111		10,70	0,060	15,70	0,077	105 502 500	4,40	5,20
		53	522 723 112		15,65	0,107	23,95	0,138			
	Seil Eca 1x16	52	522 723 211		12,75	0,060	18,10	0,077	105 502 600	6,40	7,60
		53	522 723 212		17,65	0,107	26,35	0,138			
	Seil Eca 1x25	52	522 723 311		18,55	0,066	25,45	0,086	105 502 700	11,55	13,75
		53	522 723 312		24,40	0,122	35,20	0,158			
	Seil Eca 1x35	52	522 723 411		20,95	0,066	28,30	0,086	105 502 800	13,95	16,60
		53	522 723 412		26,80	0,122	38,05	0,158			
	Seil Eca 1x50	52	522 723 511		26,60	0,066	35,05	0,086	105 502 900	19,60	23,35
		53	522 723 512		32,45	0,122	44,80	0,158			



522 Starkstromleiter

522.015

© EIT.swiss 01.22

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	Litze Eca 1x1,5	52	522 732 311		5,90	0,049	9,60	0,064	113 113 801	0,75	0,90
	Litze Eca 1x2,5	52	522 732 411		6,30	0,049	10,05	0,064	113 103 908	1,15	1,35
	Litze Eca 1x4	52	522 732 511		7,05	0,049	10,95	0,064	113 104 008	1,90	2,25
	Litze Eca 1x6	52	522 732 611		7,85	0,049	11,90	0,064	113 104 100	2,65	3,20



Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF